DM

Diabetic Medicine

Journal of Diabetes UK

Contents Volume 20, 2003

January 2003 Number 1

Guest editorial

1 Type 2 diabetes and cognitive impairment
M. W. J. Strachan, B. M. Frier, I. J. Deary

Review article

3 The role of the growth hormone–insulin-like growth factor axis in glucose homeostasis *R. I. G. Holt, H. L. Simpson, P. H. Sönksen*

Original articles

16 Tissue factor pathway inhibitor (TFPI) release after heparin stimulation is increased in Type 1 diabetic patients with albuminuria *P. B. Leurs, R. van Oerle, K. Hamulyak, B. H. R. Wolffenbuttel*

23 High incidence of Type 2 diabetes mellitus in South African Indians: a 10-year follow-up study *A. A. Motala, F. J. Pirie, E. Gouws, A. Amod, M. A. K. Omar*

31 Microalbuminuria is more frequent in South Asian than in European origin populations: a comparative study in Newcastle, UK *C. M. Fischbacher, R. Bhopal, M. K. Rutter, N. C. Unwin, S. M. Marshall, M. White, K. G. M. M. Alberti*

37 Heterogeneity of non-insulin-dependent diabetes expressed as variability in insulin sensitivity, β-cell function and cardiovascular risk profile *K. I. Birkeland, B. Kilhovd, P. Thorsby, P. A. Torjesen, R. Ganss, S. Vaaler, K. F. Hanssen*

46 Pregnancy outcome in Type 1 diabetes mellitus treated with insulin lispro (Humalog) *E. A. Masson, J. E. Patmore, P. D. Brash, M. Baxter, G. Caldwell, I. W. Gallen, P. A. Price, P. A. Vice, J. D. Walker, S. W. Lindow*

51 Proposed diagnostic thresholds for gestational diabetes mellitus according to a 75-g oral glucose tolerance test. Maternal and perinatal outcomes in 3260 Danish women *D. M. Jensen, P. Damm, B. Sørensen, L. Mølsted-Pedersen, J. G. Westergaard, L. Korsholm, P. Ovesen, H. Beck-Nielsen*

58 Long-term outcome after gastrectomy for intractable diabetic gastroparesis *P. J. Watkins, M. S. Buxton-Thomas, E. R. Howard*

64 Clinical characteristics and outcome of pregnancy in women with gestational hyperglycaemia with and without antibodies to β-cell antigens *S. Bo, G. Menato, S. Pinach, A. Signorile, C. Bardelli, A. Lezo, B. Marchisio, L. Gentile, M. Cassader, M. Massobrio, G. Pagano*

Short reports

69 Responsiveness of the Problem Areas In Diabetes (PAID) questionnaire *G. Welch, K. Weinger, B. Anderson, W. H. Polonsky*

73 A protocol for improved glycaemic control following corticosteroid therapy in diabetic pregnancies
K. Kaushal, J. M. Gibson, A. Railton, B. Hounsome, J. P. New, R. J. Young

Clinical practice

76 Treatment with intravenous insulin followed by continuous subcutaneous insulin infusion improves glycaemic control in severely resistant Type 2 diabetic patients
M.-J. J. Pouwels, C. J. Tack, A. R. Hermus, J. A. Lutterman

Letters

80 Feline diabetes—personal experience *K. C. B. Tan*

81 Is the severity of obstructive sleep apnoea associated with the degree of insulin resistance? *Y. Nagai, Y. Nakatsumi, T. Abe, G. Nomura*

82 St Vincent's Declaration 10 years on: outcome of diabetic pregnancies *J. M. Steel*

83 DM Diary

February 2003 Number 2

Editorial

85 Medical communication and diabetes *T. Dornan, C. Carroll*

Review article

88 The pathogenesis and management of painful diabetic neuropathy: a review *M. C. Spruce, J. Potter, D. V. Coppini*

Original articles

99 Factor analysis of the metabolic syndrome among elderly Koreans—the South-west Seoul Study *K. M. Choi, J. Lee, K. B. Kim, D. R. Kim, S. K. Kim, D. H. Shin, N. H. Kim, I. B. Park, D. S. Choi, S. H. Baik*

105 Foot complications in Type 2 diabetes: an Australian population-based study *R. J. Tapp, J. E. Shaw, M. P. de Courten, D. W. Dunstan, T. A. Welborn, P. Z. Zimmet*

114 A pilot study of the beneficial effects of amantadine in the treatment of painful diabetic peripheral neuropathy
P. Amin, N. D. C. Sturrock

119 Impairment of cerebral autoregulation in diabetic patients with cardiovascular autonomic neuropathy and orthostatic hypotension *B. N. Mankovsky, R. Piolot, O. L. Mankovsky, D. Ziegler*

127 Improvements in insulin sensitivity and β-cell function (HOMA) with weight loss in the severely obese
J. B. Dixon, A. F. Dixon, P. E. O'Brien

135 Psychosocial factors and diabetes-related outcomes following diagnosis of Type 1 diabetes in adults: The Edinburgh Prospective Diabetes Study *M. D. Taylor, B. M. Frier, A. E. Gold, I. J. Deary*
147 Do plasminogen activator inhibitor (PAI-1) or tissue plasminogen activator PAI-1 complexes predict complications in Type 1 diabetes: The Pittsburgh Epidemiology of Diabetes Complications Study *Z. Bosnyak, K. Y.-Z. Forrest, R. E. Maser, D. Becker, T. J. Orchard*
152 Comparison of patients' and healthcare professionals' beliefs about and attitudes towards Type 2 diabetes *M. Clark, S. E. Hampson*

Short reports

155 Screening for Type 2 diabetes: is it worthwhile? Views of general practitioners and practice nurses *D. L. Whitford, S. S. Lamont, A. Crosland*
159 Methicillin-resistant *Staphylococcus aureus* in the diabetic foot clinic: a worsening problem *C. N. Dang, Y. D. M. Prasad, A. J. M. Boulton, E. B. Jude*
162 The relationship between birth weight and maternal glycated haemoglobin (HbA_{1c}) concentration in pregnancies complicated by Type 1 diabetes *G. C. Penney, G. Mair, D. W. M. Pearson*

Letters

167 Tumour necrosis factor-alpha promoter gene polymorphism at −308 (genotype AA) in Chinese subjects with Type 2 diabetes *G. T. C. Ko, S. C. Lee, Y. B. Pu, M. C. Y. Ng, W.-Y. So, N. Thomas, W. B. Chan, C. S. Cockram, J. C. N. Chan*
168 Insulin-treated diabetes and driving in the UK *T. Cundy, P. Drury*
168 Continued rising trend of childhood Type 1 diabetes mellitus in Devon and Cornwall, England *H. X. Zhao, E. Stenhouse, E. Sanderson, C. Soper, P. Hughes, D. Cross, A. G. Demaine, B. A. Millward*
170 High prevalence of diabetes and impaired fasting glycaemia in urban Nepal *D. L. Singh, M. D. Bhattarai*

172 DM Diary

March 2003 Number 3

Editorial

173 The National Service Framework for Diabetes: a glass half empty or half full? *S. Heller*

Review article

175 Screening for Type 2 diabetes—should it be now? *K. Borch-Johnsen, T. Lauritzen, C. Glümer, A. Sandbæk*

Original articles

182 Prevalence and awareness of diabetes and mean fasting glucose by age, sex, and region: results from the Nutrition and Health Survey in Taiwan, 1993–1996 *W.-H. Pan, W.-T. Yeh, H.-Y. Chang, C.-M. Hwu, L.-T. Ho*
186 Effectiveness of screening in preventing blindness due to diabetic retinopathy *C. S. Arun, N. Ngugi, L. Lovelock, R. Taylor*
191 Cause-specific and total mortality in the Canterbury (New Zealand) insulin-treated Diabetic Registry population: a 15-year follow-up study *C. M. Florkowski, R. S. Scott, P. J. Graham, D. Y. Han, C. L. Moir*
198 Autoantibodies to the islet cell antigen SOX-13 are associated with duration but not type of diabetes *T. M. E. Davis, Z. Mehta, I. R. Mackay, C. A. Cull, D. G. Bruce, S. Fida, M. J. Rowley, R. R. Holman*
205 How much of a priority is treating erectile dysfunction? A study of patients' perceptions *J. Rance, C. Phillips, S. Davies, B. O'Malley, Q. Zaman, D. Price*
210 Perceived risk for Type 2 diabetes in participants in a stepwise population-screening programme *M. C. Adriaanse, F. J. Snoek, J. M. Dekker, A. M. W. Spijkerman, G. Nijpels, H. M. van der Ploeg, R. J. Heine*
216 A repeated cross-sectional survey of severe hypoglycaemia in 178 Type 1 diabetes mellitus patients performed in 1984 and 1998 *J. Bragd, U. Adamson, P.-E. Lins, R. Wredling, P. Oskarsson*
220 Impaired fasting glucose and impaired glucose tolerance in urban population in India *A. Ramachandran, C. Snehalatha, K. Satyavani, V. Vijay*
225 Transcription factor 1 and β-cell function in glucose-tolerant subjects *K. C. Chiu, L.-M. Chuang, A. Chu, M. Wang*
231 The effects of KATP channel modulators on counterregulatory responses and cognitive function during acute controlled hypoglycaemia in healthy men: a pilot study *E. Bingham, D. Hopkins, A. Pernet, H. Reid, I. A. Macdonald, S. A. Amiel*

Short report

238 Subcutaneous glucose sensor values closely parallel blood glucose during insulin-induced hypoglycaemia *N. J. Caplin, P. O'Leary, M. Bulsara, E. A. Davis, T. W. Jones*

Case report

242 An unusual cause of diabetic ketoacidosis and fulminant septicaemia *M. M. Hassanein, J. Croall, D. L. Ewins, R. C. Worth*

Meeting report

245 Update on the Diabetic Foot from Malvern Foot Conference 2002 *C. N. Dang, Y. D. M. Prasad, H. Connor, A. J. M. Boulton*

Letters

247 The hazards of the holiday foot: persons at high risk for diabetic foot ulceration may be more active on holiday *D. G. Armstrong, C. Dang, B. P. Nixon, A. J. M. Boulton*
248 Striving for equality with insulin delivery devices: not to be 'left' out *H. Treml, A. Thompson, E. Smith-Laitton, P. Delaney, M. D. Feher*
248 Complementary/alternative medicine for diabetes. How good is advice offered on websites? *K. Schmidt, E. Ernst*
249 Socio-economic deprivation and diabetic foot ulcers: no strong association *B. Vaidya, N. A. Roper, V. M. Connolly, W. F. Kelly*

252 Erratum

253 DM Diary

April 2003 Number 4

Review article

255 Pathophysiological implications of insulin resistance on vascular endothelial function *S. B. Wheatcroft, I. L. Williams, A. M. Shah, M. T. Kearney*

Original articles

269 The relationship between the circulating IGF system and the presence of retinopathy in Type 1 diabetic patients *J. Frystyk, T. Bek, A. Flyvbjerg, C. Skjærbæk, H. Ørskov*

277 Absolute level and rate of change of albuminuria over 1 year independently predict mortality and cardiovascular events in patients with diabetic nephropathy *M. F. Yuyun, S. F. Dinneen, O. M. Edwards, E. Wood, N. J. Wareham*

283 Development, reliability and validity of the Diabetes Illness Representations Questionnaire: four studies with adolescents *T. C. Skinner, L. Howells, S. Greene, K. Edgar, A. McEvilly, A. Johansson*

290 Hypertension, anti-hypertensive drug therapy and erectile dysfunction in diabetes *P. K. Moulik, K. J. Hardy*

294 Central fat predicts deterioration of insulin secretion index and fasting glycaemia: 6-year follow-up of subjects at varying risk of Type 2 diabetes mellitus *A. D. Kriketos, D. G. Carey, A. B. Jenkins, D. J. Chisholm, S. M. Furler, L. V. Campbell*

301 Decreased red blood cell aggregation subsequent to improved glycaemic control in Type 2 diabetes mellitus *B. Chong-Martinez, T. A. Buchanan, R. B. Wenby, H. J. Meiselman*

307 A nationwide study of continuous subcutaneous insulin infusion (CSII) in Denmark *K. Nørgaard*

312 A randomized trial of insulin aspart with intensified basal NPH insulin supplementation in people with Type 1 diabetes *J. H. DeVries, A. Lindholm, J. L. Jacobsen, R. J. Heine, P. D. Home, The Tri-Continental Insulin Aspart Study Group*

319 Metabolic and cardiovascular effects of very-low-calorie diet therapy in obese patients with Type 2 diabetes in secondary failure: outcomes after 1 year *P. Dhindsa, A. R. Scott, R. Donnelly*

Short reports

325 Alternate site blood glucose testing: do patients prefer it? *K. L. Tieszen, J. P. New*

329 Classifying diabetic foot surgery: toward a rational definition *D. G. Armstrong, R. G. Frykberg*

Meeting report

332 The 20th Annual Meeting of the Anglo–Danish–Dutch Diabetes Group *S. E. Baldeweg, M. Rosenthal*

Letters

333 Discontinuing insulin therapy after diabetic ketoacidosis—is its cause worth considering? *L. Czupryniak, J. Ruxer, M. Saryusz-Wolska, J. Loba*

333 No evidence for accumulation of insulin glargine (LANTUS) *E. Biermann*

334 Reply *T. Heise on behalf of the authors*

335 Can hyperglycaemia cause jejuno-jejunal intussusception? *T. Lahousen, R. W. Lipp, W. J. Schnedl*

336 Reply *S. I. McFarlane, J. Shin, K. Byrne, R. Williams*

337 Note from the printer

338 DM Diary

May 2003 Number 5

Review article

339 Is birth weight related to later glucose and insulin metabolism?—a systematic review *C. A. Newsome, A. W. Shiell, C. H. D. Fall, D. I. W. Phillips, R. Shier, C. M. Law*

Original articles

349 Amniotic fluid insulin levels and fetal abdominal circumference at time of amniocentesis in pregnancies with diabetes *U. M. Schaefer-Graf, S. L. Kjos, K. J. Bühling, W. Henrich, M. Brauer, T. Heinze, J. W. Dudenhausen, K. Vetter*

355 How do people with Type 2 diabetes perceive and respond to cardiovascular risk? *C. Carroll, E. Naylor, P. Marsden, T. Dornan*

361 Proton magnetic resonance spectroscopy study of soleus muscle in non-obese healthy and Type 2 diabetic Asian Northern Indian males: high intramyocellular lipid content correlates with excess body fat and abdominal obesity *A. Misra, S. Sinha, M. Kumar, N. R. Jagannathan, R. M. Pandey*

368 How should peripheral neuropathy be assessed in people with diabetes in primary care? A population-based comparison of four measures *M. Rahman, S. J. Griffin, W. Rathmann, N. J. Wareham*

375 Cardiac autonomic dysinnervation and myocardial blood flow in long-term Type 1 diabetic patients *N. Hattori, J. Ribl, F. M. Bengel, S. G. Nekolla, E. Standl, M. Schwaiger, O. Schnell*

382 Maternal ante-natal parameters as predictors of persistent postnatal glucose intolerance: a comparative study between Afro-Caribbeans, Asians and Caucasians *B. Sinha, P. Brydon, R. S. Taylor, A. Hollins, A. Munro, D. Jenkins, F. Dunne*

387 Rosiglitazone in Type 2 diabetes mellitus: an evaluation in British Indo-Asian patients *A. H. Barnett, P. J. Grant, G. A. Hitman, H. Mather, M. Pawa, L. Robertson, A. Trelfa, on behalf of the Indo-Asian Trial Investigators*

394 An assessment of care of paediatric and adolescent patients with diabetes in a large district general hospital *D. M. Barton, V. Baskar, D. Kamalakannan, H. N. Buch, K. Gone, E. Wilson, J. Anderson, T. A. M. Abdu*

399 Does the autonomic nervous system play a role in the development of insulin resistance? A study on heart rate variability in first-degree relatives of Type 2 diabetes patients and control subjects *S. Lindmark, U. Wiklund, P. Bjerle, J. W. Eriksson*

406 A lifecourse study of risk for hyperinsulinaemia, dyslipidaemia and obesity (the central metabolic syndrome) at age 49–51 years *L. Parker, D. W. Lamont, N. Unwin, M. S. Pearce, S. M. A. Bennett, H. O. Dickinson, M. White, J. C. Mathers, K. G. M. M. Alberti, A. W. Craft*

Short report

416 Type 2 diabetes presenting as diabetic ketoacidosis in adolescence *J. Valabhji, M. Watson, J. Cox, C. Poulter, C. Elwig, R. S. Elkeles*

Letters

418 Prevalence of Type 1 diabetes mellitus in Portugal, 1995–1999: cohort of young men *A. Macedo, Z. Jorge, E. Lacerda Nobre, S. Pratas, J. Jácome de Castro*

419 N-acetylglucosamine-phosphate mutase genotype and diabetic microvascular complications *H. Pang, Y. Koda, S.-I. Yamagishi, S. Amano, Y. Inagaki, T. Okamoto, K. Yamada, H. Kimura*

420 Marked improvement of glycaemic control with pioglitazone in a Type 2 diabetic patient associated with Charcot–Marie–Tooth disease *T. Ota, K. Osawa*

421 Prevalence of microvascular complications in adolescents with Type 1 diabetes *H. Lunt, D. Kendall, P. Anderson, J. A. Willis, M. P. Moore*

423 DM Diary

June 2003 Number 6

Review article

425 Cystic fibrosis-related diabetes *A. D. R. Mackie, S. J. Thornton, F. P. Edenborough*

Original articles

437 Type 1 diabetes in Yorkshire, UK: time trends in 0–14 and 15–29-year-olds, age at onset and age-period-cohort modelling *R. G. Feltbower, P. A. McKinney, R. C. Parslow, C. R. Stephenson, H. J. Bodansky*

442 The impact of diabetes-related complications on healthcare costs: results from the United Kingdom Prospective Diabetes Study (UKPDS Study No. 65) *P. Clarke, A. Gray, R. Legood, A. Briggs, R. Holman*

451 The vitamin D receptor gene variant and physical activity predicts fasting glucose levels in healthy young men *J. R. Ortlepp, J. Metrikat, M. Albrecht, A. von Korff, P. Hanrath, R. Hoffmann*

455 Relationship of lipoprotein(a) with intimal medial thickness of the carotid artery in Type 2 diabetic patients in south India *K. Velmurugan, R. Deepa, R. Ravikumar, J. B. Lawrence, H. Anshoo, M. Senthilvelmurugan, E. A. Enas, V. Mohan*

462 Comparison among different insulin sensitivity indices in obese patients *E. Mannucci, G. Bardini, F. Rotella, C. M. Rotella*

467 The effectiveness of screening for diabetic retinopathy by digital imaging photography and technician ophthalmoscopy *P. H. Scanlon, R. Malhotra, G. Thomas, C. Foy, J. N. Kirkpatrick, N. Lewis-Barned, B. Harney, S. J. Aldington*

475 Serum interleukin-6 levels and bone mineral density at the femoral neck in post-menopausal women with Type 1 diabetes *D. Rachoń, J. Myśliwska, K. Suchecka-Rachoń, B. Semetkowska-Jurkiewicz, K. Zorena, W. Łysiak-Szydłowska*

481 Neuroglycopenia in normoglycaemic patients, and the potential benefit of ketosis *M. A. A. P. Willemsen, R. J. Soorani-Lunsing, E. Pouwels, J. Klepper*

483 Adolescent onset Type 2 diabetes in a non-obese Caucasian patient with an unbalanced translocation *K. R. Owen, J. Roland, K. Smith, A. T. Hattersley*

486 The association between satisfaction with services provided in primary care and outcomes in Type 2 diabetes mellitus *M. H. Alazri, R. D. Neal*

491 Studies of variability in the islet amyloid polypeptide gene in relation to Type 2 diabetes *J. Pildal, M. Lajer, S. K. Hansen, K. Almind, L. Ambye, K. Borch-Johnsen, B. Carstensen, T. Hansen, O. Pedersen*

495 Cardiovascular autonomic neuropathy associated with carotid atherosclerosis in Type 2 diabetic patients *A. Gottsäter, Å. Rydén-Ahlgren, B. Szelag, B. Hedblad, J. Persson, G. Berglund, M. Wroblewski, G. Sundkvist*

Case report

500 Insulin resistance Type A and short 5th metacarpals *V. K. Patel, H. A. Davies*

Letters

505 Diabetes prevalence data for the United Kingdom—what do we have and what do we need? *R. Williams, S. Wild*

506 Poor pregnancy outcome for women with Type 2 diabetes *D. R. Hadden, C. A. Cull, D. J. Croft, R. R. Holman*

507 Symptoms reported during experimental hypoglycaemia: effect of method of induction of hypoglycaemia and of diabetes *per se* *R. J. McCrimmon, I. J. Deary, A. E. Gold, D. A. Hepburn, K. M. MacLeod, F. M. E. Ewing, B. M. Frier*

509 Ambulatory blood pressure monitoring *K. W. Hansen, P. L. Poulsen, C. E. Mogensen*

509 Reply *M. W. J. Strachan, K. Gough, J. A. McKnight, P. L. Padfield*

Book review

510 Evidence-Based Diabetes Care *K. Kaushal, T. L. Dornan*

512 Erratum

513 DM Diary

July 2003 Number 7

Review article

515 Prediction of cardiovascular risk in people with diabetes *P. H. Winocour, M. Fisher*

Original articles

528 A comparative evaluation of digital imaging, retinal photography and optometrist examination in screening for diabetic retinopathy *J. A. Olson, F. M. Strachan, J. H. Hipwell, K. A. Goatman, K. C. McHardy, J. V. Forrester, P. F. Sharp*

535 Plasma N-terminal pro-brain natriuretic peptide in Type 1 diabetic patients with and without diabetic nephropathy *A. Siebenhofer, L. L. Ng, J. Plank, A. Berghold, R. Hödl, T. R. Pieber*

540 Improving glycaemic control in patients with Type 2 diabetes mellitus without insulin therapy *A. N. Goudswaard, R. P. Stolk, H. W. de Valk, G. E. H. M. Rutten*

545 Safety and efficacy of insulin glargine (HOE 901) versus NPH insulin in combination with oral treatment in Type 2 diabetic patients *HOE 901/2004 Study Investigators Group*

552 Subscapular skinfold thickness distinguishes between transient and persistent impaired glucose tolerance: Study on Lifestyle-Intervention and Impaired Glucose Tolerance Maastricht (SLIM) *M. Mensink, E. J. M. Feskens, M. Kruijshoop, T. W. A. de Bruin, W. H. M. Saris, E. E. Blaak*

558 Continuous glucose monitoring for treatment adjustment in diabetic pregnancies—a pilot study *Y. Yogev, A. Ben-Haroush, R. Chen, B. Kaplan, M. Phillip, M. Hod*

563 Associations of LDL size with *in vitro* oxidizability and plasma levels of *in vivo* oxidized LDL in Type 2 diabetic patients *P. G. Scheffer, G. Bos, H. G. F. M. Volwater, J. M. Dekker, R. J. Heine, T. Teerlink*

568 Quality of diabetes management in children and adolescents in Denmark *S. Nordly, T. Jørgensen, A. H. Andreasen, N. Hermann, H. B. Mortensen*

575 Serum levels of low molecular weight advanced glycation end products in diabetic subjects *P. S. Sharp, S. Rainbow, S. Mukherjee*
580 Factors predictive of nephropathy in DCCT Type 1 diabetic patients with good or poor metabolic control *L. Zhang, G. Krzentowski, A. Albert, P. J. Lefèbvre*
586 The cost-effectiveness of continuous subcutaneous insulin infusion compared with multiple daily injections for the management of diabetes *P. Scuffham, L. Carr*

Clinical practice

594 A postnatal fasting plasma glucose is useful in determining which women with gestational diabetes should undergo a postnatal oral glucose tolerance test *R. I. G. Holt, J. R. Goddard, P. Clarke, M. A. G. Coleman*

Case report

599 Respiratory failure secondary to diabetic neuropathy affecting the phrenic nerve *E. W. Tang, D. L. Jardine, K. Rodins, J. Evans*

Letters

602 Trends in the incidence of childhood diabetes in South Asians and other children in Bradford, UK *B. J. Boucher*
602 Reply *P. A. McKinney, R. G. Feltbower, H. J. Bodansky*
603 Anticoagulant therapy in hyperosmolar non-ketotic diabetic coma *K. Kian, G. Eiger*
603 Current status of screening for diabetic retinopathy in the UK *A. Morris, J. Slattery, J. Olson, G. Leese, R. Harvey*

605 DM Diary

August 2003 Number 8

Review article

607 The renin–angiotensin system and the long-term complications of diabetes: pathophysiological and therapeutic considerations *R. E. Gilbert, H. Krum, J. Wilkinson-Berka, D. J. Kelly*

Original articles

622 The effects of applied felted foam on wound healing and healing times in the therapy of neuropathic diabetic foot ulcers *S. Zimny, H. Schatz, U. Pfohl*
626 Effect of the rapid-acting insulin analogue insulin aspart on quality of life and treatment satisfaction in patients with Type 1 diabetes *U. Bott, S. Ebrahim, S. Hirschberger, S. E. Skovlund*
635 Evaluation of a new non-mydriatic digital camera for detection of diabetic retinopathy *P. Massin, A. Erginay, A. Ben Mehidi, E. Vicaut, G. Quentel, Z. Victor, M. Marre, P. J. Guillausseau, A. Gaudric*
642 Decreased insulin requirement in relation to GFR in nephropathic Type 1 and insulin-treated Type 2 diabetic patients *G. Biesenbach, A. Raml, B. Schmekal, G. Eichbauer-Sturm*
646 Early detection of emotional and behavioural problems in children with diabetes: the validity of the Child Health Questionnaire as a screening instrument *F. J. Cameron, D. Smidts, K. Hesketh, M. Wake, E. A. Northam*
651 Associations between insulin resistance and thrombotic risk factors in high-risk South Asian subjects *K. Kain, A. J. Catto, P. J. Grant*
656 Insulin lispro: a potential role in preventing nocturnal hypoglycaemia in young children with diabetes mellitus *M. E. Ford-Adams, N. P. Murphy, E. J. Moore, J. A. Edge, K. L. Ong, A. P. Watts, C. L. Acerini, D. B. Dunger*
661 Therapeutic effect of recombinant human erythropoietin on anaemia with erythropoietin deficiency in diabetic patients *D. J. Kim, Y. M. Kim, Y. S. Yun, C. W. Ahn, B. S. Cha, Y. D. Song, S. K. Lim, K. R. Kim, J. S. Hahn, K. B. Huh, H. C. Lee*
665 Effectiveness of a new brand of stock 'diabetic' shoes to protect against diabetic foot ulcer relapse. A prospective cohort study *K. Busch, E. Chantelau*
670 Prevalence of diabetes and/or ischaemic heart disease in classes of increasing carotid artery atherosclerosis: an ultrasonographic study *S. Inchiostro, M. Dalfollo, A. Marzano, N. Citroni, S. Peccatori, D. Fait, G. De Venuto*
677 Angiotensin-I-converting enzyme *insertion/deletion* polymorphism and high urinary albumin concentration in French Type 2 diabetes patients *S. Hadjadj, Y. Gallois, F. Alhenc-Gelas, G. Chatellier, M. Marre for the DIABHYCAR Study Group*

Case report

683 From minimal background diabetic retinopathy to profuse sight threatening vitreoretinal haemorrhage: management issues in a case of pregestational diabetes and pregnancy *S. Chatterjee, M. D. Tsaloumas, H. Gee, G. Lipkin, F. P. Dunne*

Letters

686 Self-treatment of mild symptomatic hypoglycaemia by people with insulin-treated diabetes *A. J. Sommerfield, F. M. E. Ewing, M. W. J. Strachan, I. J. Deary, G. Aitken, B. M. Frier*
687 Postpartum glucose intolerance in Chinese women with gestational diabetes *X. Yang, B. H.-H. Hsu-Hage, L. Dong, H. Zhang, C. Zhang, Y. Zhang*
689 First referral of diabetic patients to a nephrologist *W. Schramm, H. Bergrem, P. Cromme, T. Feest, K. Borch-Johnsen, B. Feldt-Rasmussen, R. Landgraf*
690 Current status of screening for diabetic retinopathy in the UK *T. Warburton*

691 DM Diary

September 2003 Number 9

Review article

693 Preventing Type 2 diabetes and the dysmetabolic syndrome in the real world: a realistic view *P. Zimmet, J. Shaw, K. G. M. M. Alberti*

Original articles

703 The risk of stillbirth in pregnancies before and after the onset of diabetes *S. L. Wood, H. Jick, R. Sauve*
708 Comparative metabolic effects of hydrochlorothiazide and indapamide in hypertensive diabetic patients receiving ACE inhibitor therapy *H. Krum, M. Skiba, R. E. Gilbert*
713 The albuminuric action of atrial natriuretic peptide is not modified by ACE-inhibition with perindopril in Type 2 diabetes *K. B. Moore, K. McKenna, W. P. Tormey, D. McDonald, C. J. Thompson*

717 Irish diabetes detection programme in general practice *S. M. Smith, J. Holohan, A. McAuliffe, R. G. Firth*
723 Activation of the innate immune system as a predictor of cardiovascular mortality in Type 2 diabetes mellitus *J. C. Pickup, M. B. Mattock*
727 Assessing progression and efficacy of treatment for diabetic retinopathy following the proliferative pathway to blindness: implication for diabetic retinopathy screening in Taiwan *W-J. Liu, L-T. Lee, M-F. Yen, T-H. Tung, R. Williams, S. W. Duffy, T. H-H. Chen*
734 Pregnancy in women with Type 2 diabetes: 12 years outcome data 1990–2002 *F. Dunne, P. Brydon, K. Smith, H. Gee*
739 Motivational/solution-focused intervention improves HbA_{1c} in adolescents with Type 1 diabetes: a pilot study *R. M. Viner, D. Christie, V. Taylor, S. Hey*
743 Effects of atorvastatin on glucose homeostasis, postprandial triglyceride response and C-reactive protein in subjects with impaired fasting glucose *A. Costa, R. Casamitjana, E. Casals, L. Álvarez, J. Morales, X. Masramón, G. Hernández, R. Gomis, I. Conget*
746 Alveolar bone loss associated with glucose tolerance in Japanese men *T. Marugame, H. Hayasaki, K. Lee, H. Eguchi, S. Matsumoto*
752 Characterizing blood pressure control in individuals with Type 2 diabetes: the relationship between clinic and self-monitored blood pressure *R. S. Mazze, G. D. Simonson, R. L. Robinson, D. M. Kendall, M. A. Idrogo, S. A. Adlis, K. S. Boyce, C. J. Dunne, R. L. Anderson, R. M. Bergenstal*
758 Incidence of sight-threatening retinopathy in Type 1 diabetes in a systematic screening programme *N. Younis, D. M. Broadbent, S. P. Harding, J. P. Vora*

Short report

766 Is digital image compression acceptable within diabetic retinopathy screening? *A. Basu, A. D. Kamal, W. Illahi, M. Khan, P. Stavrou, R. E. J. Ryder*

Case report

772 An unusual cause of hyperinsulinaemic hypoglycaemia syndrome *P. J. Manning, E. A. Espiner, K. Yoon, P. L. Drury, I. M. Holdaway, A. Bowers*

Letters

777 Technical failure in photographic screening for diabetic retinopathy *A. Agrawal, M. A. McKibbin*
777 HLA, day care attendance, and socio-economic status in young patients with Type 1 diabetes *B. Kaila, H. J. Dean, M. Schroeder, S. P. Taback*
779 Use of insulin glargine during embryogenesis in a pregnant woman with Type 1 diabetes *A. Holstein, A. Plaschke, E.-H. Egberts*

781 Erratum

782 DM Diary

October 2003 Number 10

Editorial

783 The implementation of nutritional advice for people with diabetes *M. E. J. Lean*

Special report

786 The implementation of nutritional advice for people with diabetes *Nutrition Subcommittee of the Diabetes Care Advisory Committee of Diabetes UK*

Original articles

808 Characteristics of Type 1 diabetes of over 50 years duration (the Golden Years Cohort) *S. C. Bain, G. V. Gill, P. H. Dyer, A. F. Jones, M. Murphy, K. E. Jones, C. Smyth, A. H. Barnett*
812 Screening for diabetic retinopathy: a cause for concern in people who drive *S. Razvi, L. Myers, K. Patton, A. J. McCulloch*
816 Does overnight normalization of plasma glucose by insulin infusion affect assessment of glucose metabolism in Type 2 diabetes? *P. Staehr, K. Hojlund, O. Hother-Nielsen, J. J. Holst, H. Beck-Nielsen*
823 Response to treatment with rosiglitazone in familial partial lipodystrophy due to a mutation in the LMNA gene *K. R. Owen, M. Donohoe, S. Ellard, A. T. Hattersley*
828 Serum resistin level in essential hypertension patients with different glucose tolerance *J.-L. Zhang, Y.-W. Qin, X. Zheng, J.-L. Qiu, D.-J. Zou*
832 Serum leptin is elevated in Saudi Arabian patients with metabolic syndrome and coronary artery disease *N. Al-Daghri, K. Al-Rubean, W. A. Bartlett, O. Al-Attas, A. F. Jones, S. Kumar*
838 Insulin and lysophosphatidylcholine synergistically stimulate NO-dependent cGMP production in human endothelial cells *O. Konopatskaya, J. L. Whatmore, J. E. Tooke, A. C. Shore*
846 Quality of care for patients with Type 2 diabetes mellitus—a long-term comparison of two quality improvement programmes in the Netherlands *C. M. Renders, G. D. Valk, J. J. J. de Sonnaville, J. Twisk, D. M. W. Kriegsman, R. J. Heine, J. Th. M. van Eijk, G. van der Wal*
853 A qualitative investigation of the views and health beliefs of patients with Type 2 diabetes following the introduction of a diabetes shared care service *S. M. Smith, M. O'Leary, G. Bury, W. Shannon, A. Tynan, A. Staines, C. Thompson*

Clinical practice

858 The ultrasound assessment of adipose tissue deposition in fetuses of 'well controlled' insulin-dependent diabetic pregnancies *P. Greco, A. Vimercati, J. Hyett, A. C. Rossi, M. Scioscia, F. Giorgino, G. Loverro, L. Selvaggi*

Short report

863 Are analogue insulins better than soluble in continuous subcutaneous insulin infusion? Results of a meta-analysis *J. Colquitt, P. Royle, N. Waugh*

Letters

867 Plasma homocysteine concentrations in patients with Type 1 diabetes *B. O. Saeed, K. Banerjee, S. J. Nixon, K. Brown*
868 Rapid amelioration of muscle sympathetic nerve activity by pioglitazone in an obese Type 2 diabetic patient *Y. Nagai, Y. Sugiyama, Y. Nakatsumi, T. Abe, G. Nomura*

870 DM Diary

November 2003 Number 11

Guest editorial

871 Cow's milk and trials for prevention of Type 1 diabetes *P. Pozzilli, S. Manfrini, A. Picardi*

Review articles

873 A review of basal insulins *A. H. Barnett*

886 Alternative routes of insulin delivery *D. R. Owens, B. Zinman, G. Bolli*

Original articles

899 Pneumococcal necrotizing fasciitis in a patient with Type 2 diabetes *P. K. Prakash, M. Biswas, K. ElBouri, P. A. Braithwaite, F. W. Hanna*

904 Comparison of the diagnostic criteria for diabetes mellitus, WHO-1985, ADA-1997 and WHO-1999 in the adult population of Asturias (Spain) *P. Botas, E. Delgado, G. Castaño, C. Díaz de Greñu, J. Prieto, F. J. Díaz-Cadórniga*

909 Discrepancies between patient and professionals recall and perception of an outpatient consultation *T. Parkin, T. C. Skinner*

915 Gender differences in the prevalence of impaired fasting glycaemia and impaired glucose tolerance in Mauritius. Does sex matter? *J. W. Williams, P. Z. Zimmet, J. E. Shaw, M. P. de Courten, A. J. Cameron, P. Chitson, J. Tuomilehto, K. G. M. M. Alberti*

921 Socio-economic inequalities in diabetes complications, control, attitudes and health service use: a cross-sectional study *M. O. Bachmann, J. Eachus, C. D. Hopper, G. Davey Smith, C. Propper, N. J. Pearson, S. Williams, D. Tallon, S. Frankel*

930 Plasma interleukin-6 is associated with coagulation in poorly controlled patients with Type 2 diabetes *Y. Aso, K. Okumura, N. Yoshida, K. Tayama, T. Kanda, I. Kobayashi, Y. Takemura, T. Inukai*

935 Comparison of repaglinide vs. gliclazide in combination with bedtime NPH insulin in patients with Type 2 diabetes inadequately controlled with oral hypoglycaemic agents *N. J. Furlong, S. A. Hulme, S. V. O'Brien, K. J. Hardy*

942 Brachial-ankle pulse wave velocity measured automatically by oscillometric method is elevated in diabetic patients with incipient nephropathy *H. Yokoyama, K. Hirasawa, T. Aoki, M. Ishiyama, K. Koyama*

946 A 75% insulin lispro/25% NPL mixture provides a longer duration of insulin activity compared with insulin lispro alone in patients with Type 1 diabetes *P. Roach, J. Woodworth, U. Gudat, B. Cerimele, F. Diebler, M. Pein, M. Dreyer*

Short report

953 Comparability of venous and capillary glucose measurements in blood *S. Colagiuri, A. Sandbæk, B. Carstensen, J. Christensen, C. Glumer, T. Lauritzen, K. Borch-Johnsen*

957 OnlineEarly Announcement

958 DM Diary

December 2003 Number 12

Editorial

959 National screening for diabetic retinopathy: clear vision needed *J. Mason*

Special reports

962 A national retinal screening programme for diabetes in Scotland *G. P. Leese, A. D. Morris, J. Olson*

965 Grading and disease management in national screening for diabetic retinopathy in England and Wales *S. Harding, R. Greenwood, S. Aldington, J. Gibson, D. Owens, R. Taylor, E. Kohner, P. Scanlon, G. Leese.* The Diabetic Retinopathy Grading and Disease Management Working Party

Review article

972 Hypertension in people with Type 2 diabetes: knowledge-based diabetes-specific guidelines *Working Party of the International Diabetes Federation (European Region)*

Original articles

988 Peripheral vascular disease in Type 2 diabetic Chinese patients: associations with metabolic indices, concomitant vascular disease and genetic factors *G. N. Thomas, J. A. J. H. Critchley, B. Tomlinson, C. S. Cockram, J. C. N. Chan*

996 The impact of screening for Type 2 diabetes in siblings of patients with established diabetes *A. J. Farmer, H. Doll, J. C. Levy, P. M. Salkovskis*

1005 Body composition in adolescent girls with Type 1 diabetes *C.-M. Ingberg, S. Särnblad, M. Palmér, E. Schvarcz, C. Berne, J. Åman*

1012 Performance assessment of the Medtronic-MiniMed Continuous Glucose Monitoring System and its use for measurement of glycaemic control in Type 1 diabetic subjects *N. Sachedina, J. C. Pickup*

1016 Hypoglycaemia in insulin-treated Type 2 diabetes: frequency, symptoms and impaired awareness *J. N. Henderson, K. V. Allen, I. J. Deary, B. M. Frier*

1022 A pilot randomized trial in primary care to investigate and improve knowledge, awareness and self-management among South Asians with diabetes in Manchester *A. Vyas, A. Z. Haidery, P. G. Wiles, S. Gill, C. Roberts, J. K. Cruickshank*

1027 Progression to clinically diagnosed and treated diabetes from impaired glucose tolerance and impaired fasting glycaemia *Q. Qiao, J. Lindström, T. T. Valle, J. Tuomilehto*

Letters

1034 Current methods of transfer of young people with Type 1 diabetes to adult services *S. Channon, V. Smith, J. Alcolado, J. W. Gregory*

1035 Insulin resistance in essential hypertension: a conflictive point of view *D. A. García-Estévez, D. Araújo-Vilar, G. Fiestras-Janeiro, Á. Saavedra-Gonzalez, J. Cabezas-Cerrato*

1036 DM Diary

1037 List of reviewers 2003

1041 Indexes